

6,5 CREEDMOOR FMJBT

140 GRS
SB65A



PROPERTIES

BULLET	TYPE	FMJBT
	WEIGHT	grs 140
	DIAMETER	in 0.264
	SECTIONAL DENSITY	lb/in ³ 0.287
	MATERIAL OF JACKET	CuZn 10
BALLISTIC COEFFICIENT	G1	0.491
	G7	0.247
CARTRIDGE	LENGTH	in 2.752
POWER FACTOR ESTIMATED	kgr-fps	372.0
TEST BARREL LENGTH	in	21¾
SUGGESTED USE		Range, Match/Competition
FEATURES		Reliable Functioning, Non-expanding, No Barrel Leading, Accurate

PACKAGING

BOXES PER CASE	25
WEIGHT PER CASE	lb 29,3

BALLISTICS

DISTANCE	y	MUZZLE	100	200	300	400
VELOCITY	fps	2,658	2,475	2,300	2,132	1,971
ENERGY	ft-lb	2,195	1,904	1,644	1,413	1,208
DISTANCE	y	50	100	200	300	400
POINTS OF IMPACT	in	-0.3	0.0	-3.7	-14.0	-31.9

